

Fit

DESIGNS

HITTING BOO!

NO. 188

O.S. SIZES



1 LEN"
See page 6

6d



PATONS BEEHIVE FINGERING

is now treated with a

SHRINK-RESIST FINISH known as "PATONISED"



This Knitting Wool can be washed repeatedly without shrinking and—most important!—will retain its original soft fullness and woolly texture. The "Patonised" Shrink-Resist Finish is not something new and untried, but is the result of fifteen years' experience.

Marlene

MATERIALS:—

PATONS BEEHIVE Fingering, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 8 ozs.
 Knitting Needles 1 pair No. 10
 Cotton Wool.
 A Medium Sized Crochet Hook.
 Seven Buttons.

MEASUREMENTS:—

Length from top of shoulder 21 ins.
 Width all round at underarm 36 ins.
 Length of sleeve from underarm 5 ins.
 (or length desired)

ABBREVIATIONS:—See page 19.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. Check tension—see page 19.

THE LEFT FRONT:—Cast on 66 stitches.

** 1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—* K.1, P.1, repeat from * to last 2 sts., K.2.

4th row.—K.2, * P.1, K.1, repeat from * to end of row.

5th row.—Knit plain.

6th row.—K.1, purl to last st., K.1.

7th row.—K.2, * P.1, K.1, repeat from * to end of row.

8th row.—* K.1, P.1, repeat from * to last 2 sts., K.2 **

Repeat from ** to ** twice.

Keeping continuity of pattern as given from ** to **, decrease once at beginning of needle in next and every following 6th row until 60 sts. remain.

Work 9 rows without shaping.

Continue in pattern, increasing once at beginning of needle in next and every following 6th row until there are 71 sts. on needle.

Work 25 rows without shaping.

Cast off 9 sts. at beginning of next row, then decrease once at beginning of needle in every alternate row until 55 sts. remain.

Work 34 rows without shaping.

Cast off 12 sts. at beginning of next row, then decrease once at neck edge in every row until 32 sts. remain.

Work 2 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 8 sts., turn.

2nd and alternate rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 16 sts., turn.

5th row.—Work in pattern to last 24 sts., turn.

7th row.—Like 2nd row. Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, working shapings at opposite ends of needle and making a buttonhole in 3rd and 4th and every following 31st and 32nd rows until 7 buttonholes have been worked from commencement.

To make a buttonhole:—

1st row.—K.1, P.1, K.1, cast off 2 sts., work in pattern to end of row.

2nd row.—Work in pattern to last 4 sts., P.1, cast on 2 sts., K.1, P.1, K.1.

THE BACK.—Cast on 118 stitches.

Work as given from ** to ** for Left Front three times. Continue in pattern, decreasing once at each end of needle in next and every following 6th row until 106 sts. remain.

Work 9 rows without shaping.

Continue in pattern, increasing once at each end of needle in next and every following 6th row until there are 128 sts. on needle.

Work 25 rows without shaping.

Cast off 9 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 96 sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 8 sts., turn.

3rd and 4th rows.—Work in pattern to last 16 sts., turn.

5th and 6th rows.—Work in pattern to last 24 sts., turn.

7th and 8th rows.—Work in pattern to last 32 sts., turn.

9th row.—Work in pattern to end of row. Cast off.

[Continued on page 15]



Phoebe

(IN TWO SIZES—ILLUSTRATED OPPOSITE)

MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply.

"Patonised"—Shrink-Resist Finish.

	[A]	[B]
Quantities	12 ozs.	14 ozs.
Knitting Needles	1 pair No. 9	
A Medium Sized Crochet Hook.		
Cotton Wool.		
Seven Buttons.		

MEASUREMENTS:—

	[A]	[B]
Length from top of shoulder	22 ins.	22 ins.
Width all round at underarm . .	38 ins.	40 ins.
Length of sleeve from underarm	17½ ins.	17½ ins.
	(or length desired)	

ABBREVIATIONS:—See page 19.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7 stitches to the inch in width. Check tension—see page 19.

Instructions are written for smaller size [A]. Instructions for larger size [B] are written in brackets thus [B—...].

THE LEFT FRONT.—Cast on 79 [B—83] stitches.

1st row.—K.1, * P.1, K.1, repeat from * to last 18 sts. P.2, (K.1, P.1) three times, K.1, P.2, K.1 (P.1, K.1) three times.

2nd row.—(K.1, P.1) three times, P.1, K.2, P.1 (P.1, K.1) twice, P.2, K.2, * K.1, P.1, repeat from * to last st., K.1.

Repeat 1st and 2nd rows three times.

9th row.—Knit plain to last 18 sts., P.2 (K.1, P.1) three times, K.1, P.2, K.1 (P.1, K.1) three times.

10th row.—(K.1, P.1) three times, P.1, K.2, P.1 (P.1, K.1) twice, P.2, K.2, purl to last st., K.1. Repeat 9th and 10th rows thirteen times.

Proceed as follows:—

1st row.—K.1, K.2 tog., K.35 [B—K.39], K.2 tog., K.21, P.2 (K.1, P.1) three times, K.1, P.2, K.1 (P.1, K.1) three times.

Work 5 rows without shaping, also after 7th, 13th and 19th row.

7th row.—K.1, K.2 tog., K.34 [B—K.38], K.2 tog., K.20, P.2 (K.1, P.1) three times, K.1, P.2, K.1 (P.1, K.1) three times.

13th row.—K.1, K.2 tog., K.32 [B—K.36], K.2 tog., K.20, P.2 (K.1, P.1) three times, K.1, P.2, K.1 (P.1, K.1) three times.

19th row.—K.1, K.2 tog., K.31 [B—K.35], K.2 tog., K.19, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

25th row.—K.1, K.2 tog., K.29 [B—K.33], K.2 tog., K.19, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

Work 7 rows without shaping, also after 33rd, 41st, 49th and 57th row.

33rd row.—K.1, increase once in next st., K.29 [B—K.33], increase once in next st., K.19, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

41st row.—K.1, increase once in next st., K.30 [B—K.34], increase once in next st., K.20, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

49th row.—K.1, increase once in next st., K.31 [B—K.35], increase once in next st., K.21, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

57th row.—K.1, increase once in next st., K.32 [B—K.36], increase once in next st., K.22, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

65th row.—K.1, increase once in next st., K.33 [B—K.37], increase once in next st., K.23, P.2, (K.1, P.1) three times, K.1, P.2, K.1, (P.1, K.1) three times.

Work 27 rows without shaping.

Cast off 12 [B—14] sts., at beginning of next row, then decrease once at beginning of needle in every alternate row until 63 [B—65] sts. remain.

Work 1 row without shaping.

Continue decreasing once at beginning of needle in next and every alternate row, whilst at same time decreasing once at front edge in next and every following 3rd row until 55 [B—57] sts. remain.

Continue decreasing once at front edge in next and every following 3rd row until 52 [B—54] sts. remain.

Work 2 rows without shaping.

Proceed as follows:—

1st row.—K.18 [B—K.19], K.2 tog., K.20 [B—K.21], P.2, (K.1, P.1) four times, K.2 tog.

Still decreasing once at front edge in every 3rd row, work 5 rows without shaping, also after 7th, 13th, 19th, 25th and 31st row.

7th row.—K.17 [B—K.18], K.2 tog., K.20 [B—K.21], P.2, (K.1, P.1) three times, K.2 tog.

13th row.—K.17 [B—K.18], K.2 tog., K.19 [B—K.20], P.2, (K.1, P.1) twice, K.2 tog.

19th row.—K.16 [B—K.17], K.2 tog., K.19 [B—K.20], P.2, K.1, P.1, K.2 tog.

25th row.—K.16 [B—K.17], K.2 tog., K.18 [B—K.19], P.2, K.2 tog.

31st row.—K.15 [B—K.16], K.2 tog., K.18 [B—K.19], K.2 tog.

37th row.—K.15 [B—K.16], K.2 tog., K.15 [B—K.16], K.2 tog.

Work 4 rows in plain, smooth fabric, decreasing once at front edge in 3rd row.

Shape for shoulder as follows:—

1st row.—K.1, purl to last 10 [B—11] sts., turn.

2nd row.—K.4, K.2 tog., K.13 [B—K.14], K.2 tog.

3rd row.—K.1, purl to last 20 [B—22] sts., turn.

4th row.—Knit plain to end of row.

Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, working border and shapings at opposite ends of needle and making a buttonhole in 17th and every following 20th row until 7 buttonholes have been worked from commencement.

To make a button-hole:—

K.1, P.1, K.1, wl. fwd., K.2 tog., P.1, work to end of row.

THE BACK.—Cast on 121 [B—129] stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row.

Repeat 1st row seven times.

9th row.—Knit plain.

10th row.—K.1, purl to last st., K.1.

Repeat 9th and 10th rows thirteen times.

Proceed as follows:—

1st row.—K.1, K.2 tog., K.37 [B—K.41], K.2 tog., K.37, K.2 tog., K.37 [B—K.41], K.2 tog., K.1.

Work 5 rows without shaping, also after 7th, 13th and 19th row.

7th row.—K.1, K.2 tog., K.35 [B—K.39], K.2 tog., K.37, K.2 tog., K.35 [B—K.39], K.2 tog., K.1.

13th row.—K.1, K.2 tog., K.34 [B—K.38], K.2 tog., K.35, K.2 tog., K.34 [B—K.38], K.2 tog., K.1.

19th row.—K.1, K.2 tog., K.32 [B—K.36], K.2 tog., K.35, K.2 tog., K.32 [B—K.36], K.2 tog., K.1.

25th row.—K.1, K.2 tog., K.31 [B—K.35], K.2 tog., K.33, K.2 tog., K.31 [B—K.35], K.2 tog., K.1.

Work 7 rows without shaping, also after 33rd, 41st, 49th and 57th row.

33rd row.—K.1, increase once in next st., K.31 [B—K.35], increase once in next st., K.33, increase once in next st., K.31 [B—K.35], increase once in next st., K.1.

41st row.—K.1, increase once in next st., K.32 [B—K.36], increase once in next st., K.35, increase once in next st., K.32 [B—K.36], increase once in next st., K.1.

49th row.—K.1, increase once in next st., K.33 [B—K.37], increase once in next st., K.37, increase once in next st., K.33 [B—K.37], increase once in next st., K.1.

57th row.—K.1, increase once in next st., K.34 [B—K.38], increase once in next st., K.39, increase once in next st., K.34 [B—K.38], increase once in next st., K.1.

[Continued on page 15]



To make a button-hole:—

1st row.—K.2, cast off 3 sts., work in pattern to end of row.

2nd row.—Work to last 2 sts., cast on 3 sts., P.1, K.1.

THE BACK.—Cast on 142 [B—152] stitches.

1st row.—Knit plain.

2nd row.—K., purl to last st., K.1.

Repeat 1st and 2nd rows five times.

13th row.—K.2 tog., K.45 [B—K.48], K.2 tog., K.44 [B—K.48], K.2 tog., K.45 [B—K.48], K.2 tog. Work 7 rows without shaping, also after 21st, 29th, 37th, 45th, 53rd and 61st row.

21st row.—K.2 tog., K.43 [B—K.47], K.2 tog., K.44 [B—K.46], K.2 tog., K.43 [B—K.47], K.2 tog.

29th row.—K.2 tog., K.42 [B—K.45], K.2 tog., K.42 [B—K.46], K.2 tog., K.42 [B—K.45], K.2 tog.

37th row.—K.2 tog., K.41 [B—K.44], K.2 tog., K.40 [B—K.44], K.2 tog., K.41 [B—K.44], K.2 tog.

45th row.—K.2 tog., K.39 [B—K.43], K.2 tog., K.40 [B—K.42], K.2 tog., K.39 [B—K.43], K.2 tog.

53rd row.—K.2 tog., K.38 [B—K.41], K.2 tog., K.38 [B—K.42], K.2 tog., K.38 [B—K.41], K.2 tog.

61st row.—K.2 tog., K.37 [B—K.40], K.2 tog., K.36 [B—K.40], K.2 tog., K.37 [B—K.40], K.2 tog.

69th row.—K.2 tog., K.35 [B—K.39], K.2 tog., K.36 [B—K.38], K.2 tog., K.35 [B—K.39], K.2 tog. (110 [B—120] sts.).

Work 15 rows without shaping.

85th row.—Increase once in first st., K.35 [B—K.39], increase once in next st., K.36 [B—K.38], increase once in next st., K.35 [B—K.39], increase once in last st.

Work 7 rows without shaping also after 93rd, 101st, 109th, 117th, 125th and 133rd row.

93rd row.—Increase once in first st., K.37 [B—K.40], increase once in next st., K.36 [B—K.40], increase once in next st., K.37 [B—K.40], increase once in last st.

101st row.—Increase once in first st., K.38 [B—K.41], increase once in next st., K.38 [B—K.42], increase once in next st., K.38 [B—K.41], increase once in last st.

109th row.—Increase once in first st., K.39 [B—K.43], increase once in next st., K.40 [B—K.42], increase once in next st., K.39 [B—K.43], increase once in last st.

117th row.—Increase once in first st., K.41 [B—K.44], increase once in next st., K.40 [B—K.44], increase once in next st., K.41 [B—K.44], increase once in last st.

125th row.—Increase once in first st., K.42 [B—K.45], increase once in next st., K.42 [B—K.46], increase once in next st., K.42 [B—K.45], increase once in last st.

133rd row.—Increase once in first st., K.43 [B—K.47], increase once in next st., K.44 [B—K.46], increase once in next st., K.43 [B—K.47], increase once in last st.

141st row.—Increase once in first st., K.45 [B—K.48], increase once in next st., K.44 [B—K.48], increase once in next st., K.45 [B—K.48], increase once in last st. Work 15 rows without shaping.

Cast off 6 [B—9] sts. at beginning of each of next 2 rows, then decrease once at each end of needle in every row until 116 [B—120] sts. remain.

Decrease once at each end of needle in every alternate row until 100 [B—106] sts. remain.

Continue in plain smooth fabric without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—8] sts., turn.

3rd and 4th rows.—Work to last 16 [B—16] sts., turn.

5th and 6th rows.—Work to last 23 [B—23] sts., turn.

7th and 8th rows.—Work to last 30 [B—30] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES.—Cast on 60 [B—66] stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows thirteen times.

Continue working in plain smooth fabric increasing once at each end of needle in next and every following 8th row until there are 94 [B—100] sts. on needle. Work 7 rows without shaping.

Cast off 3 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 34 [B—38] sts. remain. Cast off. Work another Sleeve in same manner.

THE RIGHT REVER.—Cast on 4 stitches.

1st row.—Knit plain.

2nd row.—K.1, P.2, K.1.

Continue working in plain smooth fabric increasing once at beginning of needle in next and every alternate row until there are 28 sts. on needle. Cast off.

THE LEFT REVER.—Work to correspond with Right Rever, working shapings at opposite ends of needle.

THE BUTTON COVERINGS.—Using four No. 12 needles, cast on 16 stitches (6, 6, 4).

1st round.—Knit plain.

Repeat this round seven times.

9th round.—* K.2 tog., repeat from * to end of round. Break off wool, run end through remaining sts., draw up and fasten off securely.

Work 3 more button coverings in same manner.

SHOULDER PADS.—See page 19.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves placing seams $\frac{1}{2}$ an inch to front of side seams. With right side of work facing and using crochet hook, work 3 rows of d.c. round outer edge and sleeves of jacket, taking up back loop only. Work 3 rows of d.c. along straight sides of revers. Sew revers in position. Sew shoulder pads in position. Cover button moulds and sew in position to correspond with buttonholes.

Verna

MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply.

"Patonsed"—Shrink-Resist Finish.

Quantities:—The Cardigan 14 ozs.
 The Jumper 9 ozs.
 Knitting Needles . . 1 pair each Nos. 10 and 12
 Cotton Wool. Eight Buttons.

MEASUREMENTS:—

The Cardigan—

Length from top of shoulder 21½ ins.
 Width all round at underarm 42 ins.
 Length of sleeve from underarm 17½ ins.
 (or length desired)

The Jumper—

Length from top of shoulder 21 ins.
 Width all round at underarm 41 ins.
 Length of sleeve from underarm 6 ins.
 (or length desired)

ABBREVIATIONS:—See page 19.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width. Check tension—see page 19.

THE CARDIGAN:—

THE LEFT FRONT.—

Using No. 12 Needles, cast on 87 stitches.

1st row.—K.1, P.1, * K.2, P.2, repeat from * to last 9 sts., K.3, (P.1, K.1) three times.

2nd row.—(K.1, P.1) three times, K.1, * P.2, K.2, repeat from * to end of row.

** **3rd row.—**K.1, P.1 (K.2, P.2) thirteen times, slip next 2 sts. on to a spare needle and hold at front of work, K.2, P.2, then knit 2 sts. from spare needle (working of these 6 sts. will now be termed "Twist Front," throughout) (P.2, K.2) five times, K.1 (P.1, K.1) three times.

4th row.—(K.1, P.1) three times, K.1, * P.2, K.2, repeat from * to end of row.

5th row.—K.1, P.1 (K.2, P.2) twelve times, "Twist Front," P.2, slip next 4 sts. on to a spare needle and hold at back of work, knit next 2 sts. then P.2, K.2 from spare needle (working of these 6 sts. will now be termed "Twist Back," throughout) (P.2, K.2) four times, K.1, (P.1, K.1) three times.

Repeat 4th row once, then 3rd and 4th rows once.

9th row.—K.1, P.1, * K.2, P.2, repeat from * to last 9 sts., K.3 (P.1, K.1) three times.



10th row.—(K.1, P.1) three times, K.1, * P.2, K.2, repeat from * to end of row.

Repeat 9th and 10th rows once. **

Repeat from ** to ** three times.

Using No. 10 Needles, proceed as follows:—

*** **1st row.**—K.1, P.1, * K.6, P.2, repeat from * to last 37 sts., K.2, P.2, "Twist Front," P.2, K.2, P.2, K.15 (P.1, K.1) three times.

2nd row.—(K.1, P.1) three times, K.1, P.14 (K.2, P.2) four times, * K.2, P.6, repeat from * to last 2 sts., K.2.

3rd row.—K.1, P.1, * K.6, P.2, repeat from * to last 37 sts., "Twist Front," P.2, "Twist Back," P.2, K.15 (P.1, K.1) three times.

Repeat 2nd row once, then 1st and 2nd rows once.

7th row.—K.1, P.1, * K.6, P.2, repeat from * to last 37 sts. (K.2, P.2) four times, K.15 (P.1, K.1) three times.

Repeat 2nd row once, 7th row once, then 2nd row once, ***.

Repeat from *** to *** once.

In next row.—K.1, P.1, * K.6, P.2, repeat from * to last 37 sts., K.2, P.2, "Twist Front," P.2, K.2, P.2, increase once in next st., K.14 (P.1, K.1) three times.

Keeping continuity of pattern and moss pattern border as given from *** to *** increase once in plain, smooth fabric panel (as before) in every 20th row three times (91 sts.).

Work 19 rows without shaping.

Proceed as follows:—

1st row.—Cast off 7 sts., work in pattern to last 41 sts., K.2, P.2, "Twist Front," P.2, K.2, P.2, increase once in next st., K.15, K.2 tog., K.1 (P.1, K.1) three times.

2nd row.—(K.1, P.1) three times, K.1, P.18, work in pattern to end of row.

3rd row.—Cast off 7 sts., work in pattern to last 41 sts., "Twist Front," P.2, "Twist Back," P.2, K.19 (P.1, K.1) three times.

4th row.—(K.1, P.1) three times, K.1, P.2 tog., P.16, work in pattern to end of row.

5th row.—K.2 tog., work in pattern to last 40 sts., K.2, P.2, "Twist Front," P.2, K.2, P.2, K.18 (P.1, K.1) three times.

Keeping continuity of pattern and moss pattern border, increase once in plain, smooth fabric panel (as before) in 16th row, whilst at same time decreasing once at beginning of needle in every alternate row twelve times, also at front edge (inside border) in 2nd and every following 3rd row seven times (56 sts.).

Continue decreasing (inside border) in 2nd and every following 3rd row eleven times whilst at same time increasing once in plain, smooth fabric panel in 12th row (45 sts.).

Work 1 row without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 9 sts., turn.

2nd and alternate rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 18 sts., turn.

5th row.—Work in pattern to last 28 sts., turn.

7th row.—Work in pattern to last 38 sts., turn.



8th and 9th rows.—Like 2nd row.

10th row.—Cast off 38 sts., work in moss pattern to end of row.

Continue working in moss pattern on remaining sts for 2½ ins. Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, working border and shapings at opposite ends of needle and making a buttonhole in 5th and 6th and every following 17th and 18th rows until 8 buttonholes have been worked from commencement.

To make a button-hole:—

1st row.—K.1, P.1, K.1, cast off 2 sts., P.1, K.1, work in pattern to end of row.

2nd row.—Work in pattern to last 3 sts., cast on 2 sts., K.1, P.1, K.1.

The Pattern:—

1st row.—(K.1, P.1) three times, K.3, * P.2, K.2, repeat from * to last 2 sts., P.1, K.1.

2nd row.—* K.2, P.2, repeat from * to last 7 sts., K.1 (P.1, K.1) three times.

*** **3rd row.**—(K.1, P.1) three times, K.3 (P.2, K.2) four times, P.2, "Twist Front," * P.2, K.2, repeat from * to last 2 sts., P.1, K.1.

4th row.—* K.2, P.2, repeat from * to last 7 sts., K.1 (P.1, K.1) three times.

5th row.—(K.1, P.1) three times, K.3 (P.2, K.2) three times, P.2, "Twist Front," P.2, "Twist Back," * P.2, K.2, repeat from * to last 2 sts., P.1, K.1.

Repeat 4th row once, then 3rd and 4th rows once.

[Continued on page 15]

Noreen

(WITH SHORT OR LONG SLEEVES)

MATERIALS:—

PATONS BEEHIVE Crepe.

- Quantities—Short Sleeves 9 ozs.
- Long Sleeves 10 ozs.
- Knitting Needles 1 pair No. 10
- A Medium Sized Crochet Hook.
- Cotton Wool.
- Four Small Buttons.

MEASUREMENTS (to fit 36-38 inch bust):—

- Length from top of shoulder 21½ ins
- Length of sleeve from underarm—Short . . . 6 ins.
(or length desired)
- Long . . . 17½ ins.
(or length desired)

ABBREVIATIONS:—See page 19.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width (measured over rib slightly stretched). Check tension—see page 19.

THE FRONT.—Cast on 141 stitches.

1st row.—* K.1, P.1, repeat from * to last st., K.1.

2nd row.—K.2, * P.1, K.1, repeat from * to last st., K.1.

Repeat 1st and 2nd rows thirteen times.

Continue working in ribbed pattern, decreasing once at each end of needle in next and every following 6th row until 129 sts. remain.

Work 5 rows without shaping.

Increase once at each end of needle in next and every following 6th row until there are 153 sts. on needle.

Continue in ribbed pattern without shaping until work measures 15 ins. from commencement, ending with wrong side facing.

Cast off 12 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 111 sts. remain.

Work 1 row without shaping.

Proceed as follows:—

* **1st row.—**K.1, P.2, * K.1, P.3, repeat from * to last 4 sts., K.1, P.2, K.1.

2nd row.—K.3, * P.1, K.3, repeat from * to end of row.

Repeat 1st and 2nd rows twice.

7th row.—K.1, P.2, * (K.1, P.1, K.1) into next st., P.3, repeat from * to last 4 sts. (K.1, P.1, K.1) into next st., P.2, K.1.

8th row.—K.3, * P.3 tog., K.3, repeat from * to end of row. **

Repeat from ** to ** five times.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 11 sts., turn.

3rd and 4th rows.—Work in pattern to last 23 sts., turn.

5th and 6th rows.—Work in pattern to last 35 sts., turn.

7th row.—Work in pattern to end of row.

8th and 9th rows.—Cast off 35 sts., work in pattern to end of row.

Continue in pattern on remaining sts., increasing once at each end of needle in every row until there are 53 sts. on needle.

Cast off.

THE BACK.—Work exactly as given for Front.

THE SHORT SLEEVES.—Cast on 87 stitches.

Work in pattern as given from ** to ** for Front Yoke, increasing once at each end of needle in 5th and every following 4th row until there are 109 sts. on needle.

Continue in pattern without shaping until work measures 6 ins. (or length desired) from commencement, ending with wrong side facing.

** Decrease once at each end of needle in next and every alternate row until 69 sts. remain, then at each end of needle in every row until 31 sts. remain. Cast off. **

Work another Sleeve in same manner.

THE LONG SLEEVES.—Cast on 67 stitches.

Work in pattern as given from ** to ** for Front Yoke, increasing once at each end of needle in 9th and every following 8th row until there are 109 sts. on needle.

Continue in pattern without shaping until work measures 17½ ins. (or length desired) from commencement, ending with wrong side facing.

Work from ** to ** as given for Short Sleeves.

Work another Sleeve in same manner.

SHOULDER PADS.—See page 19.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew up shoulder seams for 1½ ins. from arm-hole edges. Sew in sleeves, placing seam to seam. Using crochet hook, work 2 button-hole loops on each front shoulder. Turn in facing at neck edge and sew in position on wrong side. Sew shoulder pads in position. Sew on buttons to correspond with loops.



Agnes

(ILLUSTRATED OPPOSITE)

MATERIALS:—

PATONS BEEHIVE Fingering, 4-ply.

"Patonised"—Shrink-Resist Finish.

- Quantity 1 lb. 10 ozs.
- Knitting Needles 1 pair No. 10
- A Medium Sized Crochet Hook.
- Length of Petersham.
- Length of Petersham Ribbon.
- Hooks and Eyes.
- Press Studs.
- Cotton Wool.
- A Buckle.

MEASUREMENTS:—

- Length from top of shoulder 44 ins.
- Width all round at underarm 42 ins.
- Width all round at hips 44 ins.
- Length of sleeve from underarm 17½ ins.
(or length desired)

ABBREVIATIONS:— See page 19.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width. Check tension, see page 19.

THE SKIRT:—

THE CENTRE FRONT PANEL.—** Cast on 101 stitches.

1st row.—Knit plain.
2nd row.—K.1, purl to last st., K.1.
 Repeat 1st and 2nd rows, four times. **
 Leave these sts. on a spare needle.
 Repeat from ** to ** once.
 Place sts. on spare needle at back of work and knit together 1 st. from each needle to form a hem.
In next row.—K.1, purl to last st., K.1.
 Proceed as follows:—
 *** **1st row.**—K.6, * P.1, K.7, repeat from * to last 7 sts., P.1, K.6.
2nd and alternate rows.—K.1, purl to last st., K.1.
3rd row.—Knit plain.
5th row.—K.2, * P.1, K.7, repeat from * to last 3 sts., P.1, K.2.
 Repeat 2nd and 3rd rows once, then 2nd row once. ***
 Repeat from *** to *** four times.
 Keeping continuity of pattern, decrease once at each end of needle in next and every following 10th row until 75 sts. remain, then in every 8th row until 53 sts. remain.
 Work 1 row without shaping.
 Cast off.

THE FRONT SIDE PANELS.—** Cast on 77 stitches.

1st row.—Knit plain.
2nd row.—K.1, purl to last st., K.1.
 Repeat 1st and 2nd rows four times. **
 Leave these sts. on a spare needle.
 Repeat from ** to ** once.
 Place sts. on spare needle at back of work and knit together 1 st. from each needle to form a hem.
In next row.—K.1, purl to last st., K.1.
 Work as given from *** to *** for Centre Front Panel, five times.
 Keeping continuity of pattern decrease once at each end of needle in next and every following 12th row until 59 sts. remain, then in every 10th row until 39 sts. remain.
 Work 13 rows without shaping.
 Cast off.
 Work another piece in same manner.

THE CENTRE BACK PANEL.—Work exactly as given for Centre Front Panel.

THE BACK SIDE PANELS.—** Cast on 69 stitches.

1st row.—Knit plain.
2nd row.—K.1, purl to last st., K.1.
 Repeat 1st and 2nd rows four times. **
 Leave these sts. on a spare needle.
 Repeat from ** to ** once.
 Place sts. on spare needle at back of work, and knit together 1 st. from each needle to form a hem.
In next row.—K.1, purl to last st., K.1.
 Work as given from *** to *** for Centre Front Panel, five times.
 Keeping continuity of pattern, decrease once at each end of needle in next and every following 12th row until 51 sts. remain, then in every following 10th row until 31 sts. remain.
 Work 13 rows without shaping.
 Cast off.
 Work another piece in same manner.

THE BODICE:—

THE LEFT FRONT.—Cast on 78 stitches.

1st row.—K.3, P.7, K.1, purl to last 14 sts., turn.
2nd row.—(K.2, increase once in next st.) ten times, K.23, P.1, K.10.
3rd row.—K.3, P.7, K.1, purl to last 28 sts., turn.
4th row.—K.1, * P.1, K.7, repeat from * to last 11 sts., P.1, K.10.
5th row.—K.3, P.7, K.1, purl to last 42 sts., turn.
6th row.—Knit plain to last 11 sts., P.1, K.10.
7th row.—K.3, P.7, K.1, purl to last 56 sts., turn.
 ** **8th row.**—K.1, * P.1, K.7, repeat from * to last 15 sts., P.1, K.3, P.1, K.10.
9th row.—K.3, P.7, K.1, purl to last st., K.1.
10th row.—Knit plain to last 11 sts., P.1, K.10.
11th row.—Like 9th row.



"AGNES"
See page 12

12th row.—K.5, * P.1, K.7, repeat from * to last 11 sts., P.1, K.10.

Repeat 9th and 10th rows once, then 9th row once. **

Keeping continuity of pattern and border of 11 sts. at centre front, increase once at beginning of needle in 3rd and every following 6th row until there are 96 sts. on needle.

Continue in pattern without shaping until work measures 8 ins. from commencement, ending with wrong side facing.

Cast off 10 sts. at beginning of next row.

Decrease once at beginning of needle in every alternate row ten times, whilst at same time decreasing once at front edge (inside border) in 2nd and every following 8th row, twice (73 sts.).

Continue working in pattern, decreasing once (inside border) in 6th and every following 8th row until 68 sts. remain.

Work 5 rows without shaping.

Proceed as follows:—

1st row.—K.9 (K.2 tog.) nineteen times, K.10, P.1, K.10.

2nd row.—K.3, P.7, K.1, purl to last st., K.1.

3rd row.—Cast off 37 sts., work to end of row.

Continue working on remaining 12 sts. for 4½ ins.

Cast off.

THE RIGHT FRONT.—Cast on 78 stitches.

1st row.—K.10, P.1, knit plain to last 14 sts., turn.

2nd row.—K.1, P.1, increase once in next st. (P.2, increase once in next st.), nine times, P.23, K.1, P.7, K.3.

3rd row.—K.10, P.1 (K.7, P.1) six times, K.1, turn.

4th, 6th and 8th rows.—Purl to last 11 sts., K.1, P.7, K.3.

5th row.—K.10, P.1, K.35, turn.

7th row.—K.10, P.1, K.3 (P.1, K.7) twice, P.1, K.1, turn.

9th row.—K.10, P.1, knit plain to end of row.

10th row.—K.1, purl to last 11 sts., K.1, P.7, K.3.

11th row.—K.10, P.1, * K.7, P.1, repeat from * to last 5 sts., K.5. Repeat 10th row once, then 9th and 10th rows once.

15th row.—K.10, P.1, K.3, * P.1, K.7, repeat from * to last 2 sts., P.1, K.1.

Repeat 10th row once.

Keeping continuity of pattern and border of 11 sts. at centre front, increase once at end of needle in 3rd and every following 6th row until there are 96 sts. on needle.

Continue working to correspond with Left Front, working border and shapings at opposite ends of needle.

THE BACK.—Cast on 115 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

** **3rd row.**—K.5, * P.1, K.7, repeat from * to last 6 sts., P.1, K.5.

Repeat 2nd row once, then 1st and 2nd rows once.

7th row.—K.1, * P.1, K.7, repeat from * to last 2 sts., P.1, K.1.

Repeat 2nd row once, then 1st and 2nd rows once. ** Keeping continuity of pattern, increase once at each end of needle in next and every following 6th row until there are 131 sts. on needle.

Continue in pattern without shaping until work measures same as Fronts to underarm, ending with wrong side facing.

Cast off 7 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 97 sts. remain.

Continue in pattern without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 5 sts., turn.

3rd and 4th rows.—Work to last 10 sts., turn.

5th and 6th rows.—Work to last 15 sts., turn.

7th and 8th rows.—Work to last 20 sts., turn.

9th and 10th rows.—Work to last 26 sts., turn.

11th and 12th rows.—Work to last 32 sts., turn.

13th row.—Work to end of row,

Cast off.

THE SLEEVES.—** Cast on 51 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows four times, **

Leave these sts. on a spare needle.

Repeat from ** to ** once.

Place sts. on spare needle at back of work, and knit together 1 st. from each needle to form a hem.

In next row.—K.1, purl to last st., K.1.

Work in pattern as given from ** to ** for Back, increasing once at each end of needle in 9th and every following 6th row until there are 97 sts. on needle.

Continue without shaping until work measures 17½ ins. (or length desired) from commencement.

** Cast off 2 sts. at beginning of each of next 2 rows, then decrease once at beginning of needle in each of following 6 rows. **

Repeat from ** to ** six times (27 sts.).

Cast off 2 sts. at beginning of each of next 2 rows, then decrease once at beginning of needle in each of following 2 rows (21 sts.).

Continue working in pattern without shaping on these 21 sts. for 5½ ins.

Cast off.

Work another Sleeve in same manner.

THE UNDERLAP.—Cast on 12 stitches.

1st row.—Knit plain.

2nd row.—K.2, P.9, K.1.

Repeat 1st and 2nd rows for 9 ins.

Cast off.

THE BELT.—Cast on 242 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—Knit plain to last 2 sts., increase once in next st., K.1.

4th row.—Like 2nd row.

Work 9 rows in pattern as given from ** to ** for Back, increasing once at end of needle in next and every alternate row.

Repeat 2nd row once, 1st and 2nd rows once, then 1st row once.

Cast off.

SHOULDER PADS.—See page 19.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Turn back 1 st. at each side of Centre Front Panel, and Centre Back Panel, and hem in position on wrong side. With right side of work facing, and using crochet hook, work 1 row of s.c. into outside thread, along each side of both panels. Sew side panels to centre panels, underneath s.c. Sew up side seams leaving an opening of 6 ins. at top of left side seam. Oversew lower edge of hem. Sew up side seams of bodice leaving an opening of 3 ins. at lower left hand side. Sew up sleeve seams. Oversew hems at lower edge of sleeves. Turn back 1 st. along each side of shoulder extensions, and hem in position on wrong side. With right side of work facing, and using crochet hook, work 1 row of s.c. into outside thread along each side of extensions. Sew in sleeves placing seams ½ an inch to front of side seams. Sew shoulder extensions to top of Fronts and Back of Bodice, underneath s.c. Join together bands from Fronts and sew across shoulder extensions and back of neck. Fold back 3 plain sts. at front edge, and hem in position on wrong side. With right side of work facing, and using crochet hook, work 1 row of s.c. into outside thread, all round front edge and across back of neck. Sew bodice to skirt with Right Front overlapping Left Front for 3 ins. Turn back 1 st. on front and back of side opening and hem in position on wrong side. With right side of work facing, and using crochet hook, work 1 row of s.c. into outside thread, along each side. Sew underlap in position. Sew petersham in position at waist. Sew on hooks and eyes, and press studs. Fold back outer edges of belt, and line with petersham ribbon. Sew buckle in position at straight end. Make 2 lengths of chain, and attach to side seams, through which to thread belt. Sew shoulder pads in position.

Phoebe *(Continued from page 5)*

65th row.—K.1, increase once in next st., K.35 [B—K.39], increase once in next st., K.41, increase once in next st., K.35 [B—K.39], increase once in next st., K.1.

Work 27 rows without shaping.

Cast off 9 [B—11] sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 85 [B—87] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 10 [B—11] sts., turn.

3rd and 4th rows.—Work to last 20 [B—22] sts., turn.

5th and 6th rows.—Work to last 29 [B—31] sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES.—Cast on 49 [B—53] stitches.

1st row.—K.1, * P.1, K.1, repeat from * to end of row. Repeat 1st row five times, decreasing once at end of needle in last row.

7th row.—Knit plain.

8th row.—K.1, purl to last st., K.1.

Continue in plain smooth fabric, increasing once at each end of needle in 7th (9th row from moss pattern) and every following 6th row until there are 94 [B—98] sts. on needle.

Continue in plain smooth fabric without shaping until work measures 17½ ins. (or length desired) from commencement.

** Decrease once at beginning of needle in each of next 4 rows, then cast off 2 sts. at beginning of needle in each of following 2 rows. **

Repeat from ** to ** seven times. (30 [B—34] sts.). Cast off.

Work another Sleeve in same manner.

THE COLLAR PIECES.—Cast on 47 stitches.

1st row.—* K.1, P.1, repeat from * to last st., K.1.

2nd row.—* K.1, P.1, repeat from * to last 3 sts., K.1, K.2 tog.

3rd row.—K.2 tog., * P.1, K.1, repeat from * to end of row.

Repeat 2nd and 3rd rows three times.

10th row.—(K.1, P.1) three times, knit plain to last 2 sts., K.2 tog.

11th row.—K.2 tog., purl to last 6 sts. (P.1, K.1) three times.

Continue in this manner, decreasing once at neck edge in every row until 1 st. remains. Fasten off.

Work another piece to correspond, working border and shapings at opposite ends of needle.

SHDULDER PADS.—See page 19.

TO MAKE UP CDAT.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams ½ an inch to front of side seams. Sew collar pieces in position. Using crochet hook work 1 row of d.c. across back of neck. Sew shoulder pads in position. Sew on buttons to correspond with buttonholes.

Marlene *(Continued from page 2)*

THE SLEEVES.—Cast on 80 stitches.

Work in pattern as given from ** to ** for Left Front, increasing once at each end of needle in 9th and every following 4th row until there are 94 sts. on needle. Continue without shaping until work measures 5 ins. (or length desired) from commencement, ending with wrong side facing.

Decrease once at each end of needle in next and every alternate row until 38 sts. remain.

In next row.—K.1, P.2 tog., * P.2, P.2 tog., repeat from * to last 3 sts., P.1, K.2 tog. Cast off.

Work another Sleeve in same manner.

THE COLLAR.—Cast on 110 stitches.

Work in pattern as given from ** to ** for Left Front, decreasing once at each end of needle in 5th and every following 4th row until 104 sts. remain.

Work 3 rows without shaping.

Proceed as follows:—

1st and 2nd rows.—Work in pattern to last 30 sts., turn.

3rd and 4th rows.—Work in pattern to last 31 sts., turn.

5th and 6th rows.—Work in pattern to last 32 sts., turn.

7th and 8th rows.—Work in pattern to last 33 sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE CUFFS.—Cast on 80 stitches.

Work as given from ** to ** for Left Front twice.

17th row.—Knit plain. Cast off.

Work another Cuff in same manner.

SHDULDER PADS.—See page 19.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Sew collar and cuffs in position. Using crochet hook, work 2 rows of d.c. round outer edges of garment, round collar and cuffs. Sew shoulder pads in position. Sew on buttons to correspond with buttonholes.

Verna *(Continued from page 9)*

9th row.—(K.1, P.1) three times, K.3, * P.2, K.2, repeat from * to last 2 sts., P.1, K.1.

10th row.—* K.2, P.2, repeat from * to last 7 sts., K.1 (P.1, K.1) three times.

Repeat 9th and 10th rows once. **

THE BACK.—Using No. 12 Needles, cast on 158 stitches.

1st row.—* K.2, P.2, repeat from * to last 2 sts., K.2.

2nd row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

** **3rd row.**—(K.2, P.2) eleven times, "Twist Front," (P.2, K.2) fourteen times, P.2, "Twist Front" (P.2, K.2) eleven times.

4th row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

5th row.—(K.2, P.2) ten times, "Twist Front," P.2, "Twist Back," (P.2, K.2) twelve times, P.2, "Twist Front," P.2, "Twist Back" (P.2, K.2) ten times.
Repeat 4th row once, then 3rd and 4th rows once.

9th row.—* K.2, P.2, repeat from * to last 2 sts., K.2.

10th row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

Repeat 9th and 10th rows once. **

Repeat from ** to ** three times.

Using No. 10 Needles, proceed as follows:—

***** 1st row.**—(K.6, P.2) five times, K.2, P.2, "Twist Front," P.2, K.2, P.2, (K.6, P.2) six times, K.2, P.2, "Twist Front," P.2, K.2 (P.2, K.6) five times.

2nd row.—K.1, P.5, (K.2, P.6) four times, (K.2, P.2) four times, (K.2, P.6) six times, (K.2, P.2) four times, K.2, (P.6, K.2) four times, P.5, K.1.

3rd row.—(K.6, P.2) five times, "Twist Front," P.2, "Twist Back" (P.2, K.6) six times, P.2, "Twist Front," P.2, "Twist Back" (P.2, K.6) five times.

Repeat 2nd row once, then 1st and 2nd rows once.

7th row.—(K.6, P.2) five times, (K.2, P.2) four times, (K.6, P.2) six times, (K.2, P.2) four times, (K.6, P.2) four times, K.6.

Repeat 2nd row once, 7th row once, then 2nd row once, ***.

Continue working in pattern as given from *** to *** until work measures same as Fronts to underarm.

Cast off 2 sts. at beginning of each of next 4 rows, then decrease once at each end of needle in next and every alternate row until 124 sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 18 sts., turn.

5th and 6th rows.—Work in pattern to last 28 sts., turn.

7th and 8th rows.—Work in pattern to last 38 sts., turn.

9th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 70 stitches.

1st row.—K.2, * P.2, K.2, repeat from * to end of row.

2nd row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

Repeat 1st and 2nd rows sixteen times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.6, * P.2, K.6, repeat from * to end of row.

2nd row.—K.1, P.5, * K.2, P.6, repeat from * to last 8 sts., K.2, P.5, K.1.

Continue working in ribbed pattern, increasing once at each end of needle in next and every following 6th row until there are 82 sts. on needle, then in every 4th row until there are 116 sts. on needle.

Continue without shaping until work measures 17½ ins. (or length desired) from commencement ending with a purl row.

Decrease once at each end of needle in next and every alternate row until 80 sts. remain, then at each end of every row until 42 sts. remain.

In next row.—K.2 tog., * K.2 tog., pass first st. on right hand needle over second st. Repeat from * to end of row. Fasten off.

Work another Sleeve in same manner.

TO MAKE UP CARDIGAN.—With a slightly damp cloth and waim iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams 1 inch to front of side seams, and easing extra fullness at top. Join together bands from Fronts and sew to back of neck. Sew on buttons to correspond with buttonholes.

THE JUMPER:—

THE FRONT:—Using No. 12 Needles, cast on 138 stitches.

1st row.—K.2, * P.2, K.2, repeat from * to end of row.

2nd row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

Repeat 1st and 2nd rows nineteen times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Continue working in plain, smooth fabric, increasing once at each end of needle in 9th (11th row from ribbing) and every following 10th row until there are 150 sts. on needle.

Continue without shaping until work measures 13½ ins. from commencement.

Cast off 6 sts. at beginning of each of next 4 rows, then decrease once at each end of needle in next and every alternate row until 104 sts. remain.

Continue without shaping until work measures 18 ins. from commencement, ending at wrong side of work.

In next row.—K.40, cast off 24 sts., K.40.

Continue working on last 40 sts., decreasing once at beginning of needle in every alternate row until 32 sts. remain.

Continue without shaping until work measures 20½ ins. from commencement ending at neck edge.

Shape for shoulder as follows:—

1st row.—Work to last 11 sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 22 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front until armhole shapings have been completed (104 sts.).

Continue working in plain, smooth fabric, without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 11 sts., turn.

3rd and 4th rows.—Work to last 22 sts., turn.

5th and 6th rows.—Work to last 32 sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 90 stitches.

1st row.—K.2, * P.2, K.2, repeat from * to end of row.

2nd row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

Repeat 1st and 2nd rows five times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Continue working in plain, smooth fabric, increasing once at each end of needle in 5th (7th row from ribbing) and every following 6th row until there are 100 sts. on needle.

Continue without shaping until work measures 6 ins. (or length desired) from commencement, ending with a purl row.

Decrease once at each end of needle in next and every alternate row until 64 sts. remain; then at each end of every row until 30 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—Sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 118 stitches evenly round neck.

1st row.—K.1, P.1, * K.2, P.2, repeat from * to last 4 sts., K.2, P.1, K.1.

2nd row.—K.2, * P.2, K.2, repeat from * to end of row.

Repeat 1st and 2nd rows four times. Cast off in rib.

SHOULDER PADS.—See page 19.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Sew shoulder pads in position.

Virginia

(ILLUSTRATED ON BACK COVER)

MATERIALS:—

PATONS AZALEA Crochet Wool.

Quantities:—

The Jumper 8 ozs.

The Cardigan 10 ozs.

Knitting Needles 1 pair each Nos. 10 and 12

A Medium Sized Crochet Hook.

Cotton Wool.

Three Small Buttons.

Seven Larger Buttons.

MEASUREMENTS:—

The Jumper:—

Length from top of shoulder 21½ ins.

Width all round at underarm 38 ins.

Length of sleeve from underarm 7 ins.

The Cardigan:—

Length from top of shoulder 22½ ins.

Width all round at underarm 39 ins.

Length of sleeve from underarm 17½ ins.
(or length desired)

ABBREVIATIONS:—See page 19.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. Check tension, see page 19.

THE JUMPER:—

THE FRONT.—Using No. 10 Needles, cast on 128 stitches.

1st row.—K.4, * P.3, K.3, repeat from * to last 4 sts., P.3, K.1.

**** 2nd row.**—K.1, P.1, * K.3, P.3, repeat from * to last 6 sts., K.3, P.2, K.1.

3rd row.—K.2, * P.3, K.3, repeat from * to end of row.

4th row.—K.1, * P.3, K.3, repeat from * to last st., K.1.

5th row.—K.1, P.2, * K.3, P.3, repeat from * to last 5 sts., K.3, P.1, K.1.

6th row.—* K.3, P.3, repeat from * to last 2 sts., K.2.

7th row.—K.1, * K.3, P.3, repeat from * to last st., K.1.

8th row.—Like 6th row.

9th row.—Like 5th row.

10th row.—Like 4th row.

11th row.—Like 3rd row.

12th row.—Like 2nd row.

13th row.—K.4, * P.3, K.3, repeat from * to last 4 sts., P.3, K.1. **

Keeping continuity of pattern as given from ** to **, decrease once at each end of needle in 8th and every following 6th row until 112 sts. remain.

Work 5 rows without shaping.

Continue in pattern, increasing once at each end of needle in next and every following 6th row, until there are 140 sts. on needle.

Work 1 row without shaping.

Cast off 9 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 104 sts. remain.

Continue in pattern without shaping until work measures 20 ins. from commencement, ending with wrong side facing.

In next row.—Work 42 sts. in pattern, turn; leave remaining sts. on a spare needle.

Continue working in pattern on these 42 sts., decreasing once at neck edge in every row until 31 sts. remain.

Work 3 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 10 sts., turn.

2nd row.—Work in pattern to end of row.

3rd row.—Work in pattern to last 20 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool where sts. were left, cast off 20 sts. and work on remaining 42 sts. to correspond with other side.

THE BACK.—Work exactly as given for Front until armhole shapings have been completed (104 sts.). Continue in pattern without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 10 sts., turn.

3rd and 4th rows.—Work in pattern to last 20 sts., turn.

5th and 6th rows.—Work in pattern to last 31 sts., turn.

7th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 10 Needles, cast on 86 stitches.

1st row.—K.4, * P.3, K.3, repeat from * to last 4 sts., P.3, K.1.

Work in pattern as given from ** to ** for Front once. Continue in pattern, increasing once at each end of needle in 2nd and every following 6th row until there are 104 sts. on needle.

Work 5 rows without shaping.

Cast off 2 sts. at beginning of every row until 56 sts. remain.

Cast off 1 st. at beginning of every row until 26 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—Sew up right shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 120 sts. evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat this row nine times. Cast off loosely in rib.

SHOULDER PADS.—See page 19.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew up left shoulder seam for $2\frac{3}{4}$ ins. Sew in sleeves, placing seam to seam. Sew shoulder pads in position. Using crochet hook, work 2 rows of d.c. round lower edge of garment and sleeves. Work 3 button-hole loops on left front shoulder. Sew on buttons to correspond with loops.

THE CARDIGAN:—

THE LEFT FRONT.—Using No. 10 Needles, cast on 72 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows nine times.

Continue working in plain, smooth fabric, decreasing once at beginning of needle in next and every following 6th row until 64 sts. remain.

Work 5 rows without shaping.

Increase once at beginning of needle in next and every following 6th row until there are 78 sts. on needle.

Work 3 rows without shaping.

Cast off 10 sts. at beginning of next row, then decrease once at armhole edge in every alternate row until 63 sts. remain.

Work 1 row without shaping.

Proceed as follows:—

1st row.—K.2 tog., knit plain to last 3 sts., K.2 tog., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.2 tog., knit plain to end of row.

4th row.—K.1, P.2 tog., purl to last st., K.1.

5th row.—K.2 tog., knit plain to end of row.

6th row.—K.1, P.19, cast off 21 sts. purlyways, P.16, K.1.

Leave these sts. until Pocket has been worked.

THE POCKET.—Using No. 10 Needles, cast on 21 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat these 2 rows twenty-two times.

Commencing again on sts. of Front, work across row, working across Pocket sts. in place of cast off sts., as follows:—Knit plain to last 3 sts., K.2 tog., K.1.

Continue working in plain, smooth fabric, decreasing once at front edge in every 3rd row until 48 sts. remain.

Work 2 rows without shaping.

Proceed as follows:—

1st row.—K.22, K.2 tog., K.21, K.2 tog., K.1.

Work 2 rows without shaping, also after 4th, 7th, 10th, 13th, 16th, 19th and 22nd row.

4th row.—K.1, P.2 tog., purl to last st., K.1.

7th row.—K.21, K.2 tog., K.19, K.2 tog., K.1.

10th row.—K.1, P.2 tog., purl to last st., K.1.

13th row.—K.20, K.2 tog., K.17, K.2 tog., K.1.

16th row.—K.1, P.2 tog., purl to last st., K.1.

19th row.—K.19, K.2 tog., K.15, K.2 tog., K.1.

22nd row.—Like 10th row.

25th row.—K.18, K.2 tog., K.13, K.2 tog., K.1.

Work 2 rows without shaping.

28th row.—K.1, P.2 tog., purl to last st., K.1.

Work 3 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 11 sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 22 sts., turn.

4th row.—Like 2nd row. Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, omitting pocket, working shapings at opposite ends of needle and making a buttonhole in 5th and 6th and every following 25th and 26th rows until 7 button-holes have been worked from commencement.

To make a button-hole:—

1st row.—K.3, cast off 2 sts., knit plain to end of row.

2nd row.—K.1, purl to last 3 sts., cast on 2 sts., P.2, K.1.

THE BACK.—Using No. 10 Needles, cast on 132 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1. *14 rows then*

Repeat 1st and 2nd rows nine times. *make hem*
Continue working in plain, smooth fabric, decreasing once at each end of needle in next and every following 6th row until 116 sts. remain.

Work 3 rows without shaping.

Increase once at each end of needle in next and every following 6th row until there are 144 sts. on needle.

Work 3 rows without shaping.

Cast off 10 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 108 sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 11 sts., turn.

3rd and 4th rows.—Work to last 22 sts., turn.

5th and 6th rows.—Work to last 33 sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 10 Needles, cast on 60 stitches.

Work in plain, smooth fabric, increasing once at each end of needle in 7th and every following 8th row until there are 70 sts. on needle, then in every following 6th row until there are 108 sts. on needle.

Continue without shaping until work measures 17½ ins. (or length desired) from commencement.

Cast off 2 sts. at beginning of every row until 60 sts. remain.

Cast off 1 st. at beginning of every row until 28 sts. remain. Cast off.

Work another Sleeve in same manner.

TO MAKE UP CARDIGAN.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Sew pocket lining in position on wrong side. Using crochets hook, work 2 rows of d.c. down fronts and along lower edge of garment and sleeves. Sew on buttons to correspond with buttonholes.

SHOULDER PAD COVERINGS

Using 3 ply Wool and No. 9 Needles, cast on 44 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows for 6 ins. Cast off.

Work another Shoulder Pad covering in same manner.

Fold Shoulder Pad Covering diagonally in half and fill with thin layer of cotton wool. Sew edges together.

SOME IMPORTANT INFORMATION

Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. If the tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS:—

K. = Knit plain.

P. = Purl.

sts. = stitches.

ins. = inches.

tog. = together.

wf. fwd. = wool forward.

p.s.s.o. = pass slip stitch over.

w.o.n. = wool over needle.

w.r.n. = wool round needle.

t.b.l. = through the back of the loops.

ch. = chain.

tr. = treble.

s.c. = single crochet.

d.c. = double crochet.

l.tr. = long treble (wool over hook twice).

sl. st. = slip stitch.

sp. = space.

garter stitch = every row plain.

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.



Patons

KNITTING BOOK

NO. 188

O.S. SIZES